

In the Claims:

1 – 37 (cancelled)

38. (withdrawn) A method of placing an image of a first marking over an image of a first item comprising:

accessing the image of the first marking and the image of the first item,
wherein the image of the first item includes a first marking area; and

mapping the image of the first marking over the image of the first item so that
the image of the first marking lies at least partially within the first marking area,
wherein mapping includes a first act that is performed without any human
intervention, and wherein the first act is selected from a group consisting of:

positioning at least one of the images of the first marking and the image of the
first item with respect to each other; and

pasting the image of the first marking and the image of the first item together.

39. (withdrawn) The method of claim 38, wherein mapping further comprises a
second act selected from a group consisting of:

rotating at least one of the images of the first marking and the image of the
first item relative to each other; and

shifting at least one of the images of the first marking and the image of the
first item relative to each other.

40. (withdrawn) The method of claim 38, further comprising displaying a first composite image of the first marking and first item, wherein displaying is performed after mapping.

41. (withdrawn) The method of claim 38, further comprising changing a size of the image of the first marking, wherein before and after changing, a ratio of a height to a width of the image of the first marking is substantially the same.

42. (withdrawn) The method of claim 38, wherein the first item includes a promotional product.

43. (withdrawn) The method of claim 38, wherein the image of the first marking is provided by a first entity, and the image of the image of the first item is provided by a second entity that is different from the first entity.

44. (withdrawn) The method of claim 38, further comprising transforming the image of the first marking after accessing the image of the first marking.

45. (withdrawn) A method of placing an image of a first marking over an image of a first item comprising:

accessing the image of the first marking and the image of the first item, where in the image of the first item includes a first marking area;

transforming the image of the first marking, wherein transforming includes a first act is performed without any human intervention, and wherein the first act is selected from a group consisting of:

changing a size of the image of the first marking;

skewing at least a portion of the image of the first marking;

rotating at least a portion of the image of the first marking; and

changing a shape of at least a portion of the image of the first marking;

and

mapping the image of the first marking over the image of the first item.

46. (withdrawn) The method of claim 45, wherein the first act comprises changing the size of the image of the first marking, wherein before and after changing, a ratio of a height to a width of the image of the first marking is substantially the same.

47. (withdrawn) The method of claim 45, wherein mapping further comprises a second act selected from a group consisting of:

rotating at least one of the image of the first marking and the image of the first item relative to each other; and

shifting at least one of the image of the first marking and the image of the first item relative to each other.

48. (withdrawn) The method of claim 45, further comprising displaying a first composite image of the first marking and first item, wherein displaying is performed after mapping.

49. (withdrawn) The method of claim 45, wherein the first item includes a promotional product.

50. (withdrawn) The method of claim 45, wherein the image of the first marking is provided by a first entity, and the image of the first item is provided by a second entity that is different from the first entity.

51. (withdrawn) A method for a user to automatically receive a composite image while at an electronic site comprising:

performing a first act that is performed by the user and wherein the first act is selected from a group consisting of:

sending an image of a marking associated with the user to a first entity:

selecting the image of the marking associated with the user; and

selecting an identifier for a second entity associated with the user,

wherein the identifier is associated with the image; and

receiving the composite image by the user from the first entity, wherein receiving is performed after the first act; and

the composite image includes the marking and of an item.

52. (withdrawn) The method of claim 51, further comprises selecting the image of the item, wherein this act is performed by the user.

53. (withdrawn) The method of claim 51, wherein the user does not perform a second act of providing the image of the item.

54. (withdrawn) A data processing system readable storage medium having code embodied therein, the code including instructions executable by a data processing system, wherein the instructions are configured to cause the data processing system to perform a method of automatically placing an image of a first marking over an image of a first item, wherein the method comprises:

accessing the image of the first marking and the image of the first item,
wherein the image of the first item includes a first marking area;

mapping the image of the first marking over the image of the first item so that the image of the first marking lies within the first marking area, wherein mapping includes a first act that is performed without any human intervention, and wherein the first act is selected from a group consisting of:

positioning at least one of the images of the first marking and the image of the first item with respect to each other; and

pasting the image of the first marking and the image of the first item together.

55. (withdrawn) The data processing system readable storage medium of claim 54, wherein mapping further comprises a second act selected from a group consisting of:

rotating at least one of the images of the first marking and the image of the first item relative to each other; and

shifting at least one of the image of the first marking and the image of the first item relative to each other.

56. (withdrawn) The data processing system readable storage medium of claim 54, wherein the method further comprises displaying a first composite image of the first marking and first item, wherein displaying is performed after mapping.

57. (withdrawn) The data processing system readable storage medium of claim 54, wherein the method further comprises changing a size of the image of the first marking, wherein before and after changing, a ratio of a height to a width of the image of the first marking is substantially the same.

58. (withdrawn) The data processing system readable storage medium of claim 54, wherein the image of the first item includes an image of a promotional product.

59. (withdrawn) The data processing system readable storage medium of claim 54, wherein the method further comprises transforming the image of the first marking after accessing the image of the first marking.

60. (withdrawn) A data processing system readable storage medium having code embodied therein, the code including instructions executable by a data processing system, wherein the instructions are configured to cause the data processing system to perform a method of automatically placing an image of a first marking over an image of a first item, wherein the method comprises:

accessing the image of the first marking and the image of the first item,

wherein the image of the first item includes a first marking area;

transforming the image of the first marking, wherein transforming includes a first act is performed without any human intervention, and wherein the first act is selected from a group consisting of:

changing a size of the image of the first marking;

skewing at least a portion of the image of the first marking;

rotating at least a portion of the image of the first marking; and

changing a shape of at least a portion of the image of the first marking;

and

mapping the image of the first marking over the image of the first item.

61. (withdrawn) The data processing system readable storage medium of claim 60, wherein the first act further comprises changing the size of the image of the first marking, wherein before and after changing, a ratio of a height to a width of the image of the first marking is substantially the same.

62. (withdrawn) The data processing system readable storage medium of claim 60, wherein mapping further comprises shifting at least one of the images of the first marking and the image of the first item relative to each other.

63. (withdrawn) The data processing system readable storage medium of claim 60, the method further comprises displaying a first composite image of the first marking and first item, wherein displaying is performed after mapping.

64. (withdrawn) The data processing system readable storage medium of claim 60, wherein the first item includes a promotional product.

65. (previously presented) A method for generating a composite image including:

presenting a first image via a Web interface presented on a browser;

presenting a second image via a Web interface presented on the browser;

communicating a selection of the first image and the second image to a server via a network;

automatically generating a composite image of the first image and the second image at the server; and

communicating the composite image from the server to the browser via the network.

66. (previously presented) The method of claim 65 wherein the first image is a product image.

67. (previously presented) The method of claim 65 wherein the second image is a decorative image including any one of a group of images including a logo image and a text image.

68. (previously presented) The method of claim 65 wherein the composite image includes the second image placed in a default position on the first image.

69. (previously presented) The method of claim 65 further including:

positioning the second image relative to the first image via a Web interface presented on the browser to generate relative positioning information;

communicating the relative positioning information to the server via the network; and

automatically generating the composite image of the first image and the second image at the server according to the relative positioning information.

70. (previously presented) The method of claim 65 wherein the composite image is associated with information in a database, the associated information in the database being

communicated together with the composite image from the server to the browser via the network as a photo sample.

71. (previously presented) The method of claim 70 wherein the photo sample is sent via network to a specified e-mail address.

72. (previously presented) The method of claim 70 wherein a URL, containing the photo sample is sent via network to a specified e-mail address.

73. (previously presented) A network-based method for generating a composite image, the method including:

receiving a first image and a second image at a server from a browser responsive to a user-selection of the first image and the second image;

automatically generating a composite image of the first image and the second image at the server; and

communicating the composite image from the server to the browser via a network.

74. (previously presented) The network-based method of claim 73 wherein the first image is a product image.

75. (previously presented) The network-based method of claim 73 wherein the second image is a decorative image including any one of a group of images including a logo image and a text image.

76. (previously presented) The network-based method of claim 73 wherein the composite image includes the second image placed in a default position on the first image.

77. (previously presented) The network-based method of claim 73 including receiving a relative positioning information from the browser via the network and automatically generating the composite image of the first image and the second image at the server according to the relative positioning information.

78. (previously presented) The network-based method of claim 73 wherein the composite image is associated with information in a database to generate a photo sample.

79. (previously presented) The network-based method of claim 78 wherein the photo sample is transmitted via the network to a specified e-mail address.

80. (previously presented) A network-based method of generating a composite image, the method including:

presenting a first image for user selection via a first Web interface presented on a browser;

uploading a second image;

communicating a selection of the first image and the second image to a server via a network;

receiving a composite image of the first image and the second image to a server via a network; and

displaying the composite image via a second Web interface presented on the browser.

81. (previously presented) The network-based method of claim 80 wherein the first image is a product image.

82. (previously presented) The network-based method of claim 80 wherein the second image is a decorative image including any one of a group of images including a logo image and a text image.

83. (previously presented) The network-based method of claim 80 wherein the composite image includes a second image placed in a default position on the first image.

84. (previously presented) The network-based method of claim 80 further including:

positioning the second image relative to the first image via a Web interface presented on the browser to generate a relative positioning information;

communicating the relative positioning information to the server via the network;

receiving the composite image of the first image and the second image from the server to the browser, the composite image generated according to the relative positioning information; and

displaying the composite image at the browser.

85. (previously presented) A network-based method for generating a composite image, the method including:

presenting a first image for user selection via a first Web interface presented on a browser;

presenting a second image for user selection via a second Web interface presented on the browser;

communicating a selection of the first image and the second image to a server via a network;

receiving a composite image of the first image and the second image from the server at the browser via the network; and

displaying the composite image via a third Web interface presented on the browser.

86. (previously presented) The network-based method of claim 85 wherein the first image is a product image.

87. (previously presented) The network-based method of claim 85 wherein the second image is a decorative image including any one of a group of images including a logo image and a text image.

88. (previously presented) The network-based method of claim 85 wherein the composite image includes a second image placed in a default position on the first image.

89. (previously presented) The network-based method of claim 84 further including:

positioning the second image relative to the first image via a Web interface presented on the browser to generate a relative positioning information;

communicating the relative positioning information to the server via the network;

receiving the composite image of the first image and the second image from the server to the browser, the composite image generated according to the relative positioning information; and

displaying the composite image at the browser.

90. (previously presented) An apparatus for generating a composite image including:

a first database, the first image database to store at least one first image file;

a second image database, said second image database to store at least one second image file;

a server to receive a user selection of the first image file and the second image file and to generate a composite image of a first image and a second image wherein the second image is positioned relative to the first image.

91. (previously presented) The apparatus of claim 90 wherein the first image is a product image.

92. (previously presented) The apparatus of claim 90 wherein the second image is a decorative image including any one of a group of images, including a logo image and a text image.

93. (previously presented) The apparatus of claim 90 wherein the server is further configured to generate a photo sample.

94. (previously presented) The apparatus of claim 90 wherein the server is further configured to transmit the photo sample via the network to a specified e-mail address.

95. (previously presented) An apparatus for generating a composite image including:

means for presenting a first image via a Web interface presented on a browser;

means for presenting a second image via a Web interface presented on the browser;

means for communicating a selection of the first image and the second image to a server via a network;

means for automatically generating a composite image of the first image and the second image at the server; and

means for communicating the composite image from the server to the browser via the network.

96. (previously presented) The apparatus of claim 95 wherein the first image is a product image.

97. (previously presented) The apparatus of claim 95 wherein the second image is a decorative image including any one of a group of images, including a logo image and a text image.

98. (previously presented) The apparatus of claim 95 wherein the means for automatically generating a composite image are further configured to generate a photo sample.

99. (previously presented) The apparatus of claim 95 wherein the means for automatically generating a composite image are further configured to transmit the photo sample via the network to a specified e-mail address.

100. (withdrawn) A method of providing information via an electronic site comprising:

sending a first information to a user, wherein the first information is displayed to the user as a first set of icons;

receiving a first signal from the user, wherein the first signal is initiated by the user activating a first icon within the first set of icons; and

sending a second information to the user, wherein the second information is displayed to the user as a second set of icons.

101. (withdrawn) The method of claim 100, wherein no more than five words of text are displayed with each icon within the first set of icons.

102. (withdrawn) The method of claim 100, wherein no more than five words of text are displayed with each icon within the second set of icons.

103. (withdrawn) The method of claim 100, wherein no more than five words of text are displayed with each icon within the second set of icons.

104. (withdrawn) The method of claim 100, wherein the first set of icons includes at least eight icons.

105. (withdrawn) The method of claim 100, wherein the second set of icons includes at least three icons.

106. (withdrawn) The method of claim 100, wherein the icons correspond to promotional items.

107. (withdrawn) The method of claim 100, further comprising:

receiving a second signal from the user, wherein the second signal is initiated by the user activating a second icon within the second set of icons; and

sending a third information to the user, wherein:

the third information corresponds to the second icon;

the third information will be displayed to the user; and

the third information includes an enlarged view of an item and additional details related to the item.

108. (withdrawn) A method of providing information via an electronic site comprising:

receiving a first information from a user, wherein the first information includes a first attribute selected from a group consisting of a first price range, a category, a quantity, a supplier, a color, an imprint type, a composition, a weight, a size, and a time sensitivity information; and

sending to the user a second information regarding first items that correspond to the first attribute.

109. (withdrawn) The method of claim 108, wherein:

the first attribute includes the first price range; and

the first price range information includes a maximum price per item.

110. (withdrawn) The method of claim 108, wherein:

the first attribute includes the first price range; and

the first price range information includes a minimum price per item.

111. (withdrawn) The method of claim 110, wherein:

the first price range information includes a maximum price per item; and

the minimum price per item and the maximum price per item are positive values.

112. (withdrawn) The method of claim 108, wherein the first attribute includes the first price range and the method further comprises:

receiving a second information from the user, wherein the second information includes a second price range that is different from the first price range; and

sending to the user a second information regarding a second item that corresponds to the second price range.

113. (withdrawn) The method of claim 112, wherein the second item is one of the first items.

114. (withdrawn) The method of claim 112, wherein the second item is not one of the first items.

115. (withdrawn) The method of claim 112, wherein:

the first information includes a second attribute selected from a group consisting of the first price range, the category, the quantity, the supplier, the color, the imprint type, the composition, the weight, the size, and the time sensitivity;

the second attribute is different from the first attribute; and

the second information regards the first items that correspond to the first attribute and the second attribute.

116. (withdrawn) The method of claim 115, wherein:

the first information includes a third attribute selected from a group consisting of the first price range, the category, the quantity, the supplier, the color, the imprint type, the composition, the weight, the size, and the time sensitivity information;

the third attribute is different from the first attribute and the second attribute;
and

the second information regards the first items that correspond to the first attribute, the second attribute, and the third attribute.

117. (withdrawn) The method of claim 116, wherein:

the first information includes a fourth attribute selected from a group consisting of the first price range, the category, the quantity, the supplier, the color, the imprint type, the composition, the weight, the size, and the time sensitivity information;

the fourth attribute is different from the first attribute, the second attribute, and the third attribute; and

the second information regards the first items that correspond to the first attribute, the second attribute, the third attribute, and fourth attribute.

118. (withdrawn) The method of claim 108, wherein the first items are displayed as icons.

119. (withdrawn) The method of claim 118, wherein no more than five words of text are associated with each icon.

120. (withdrawn) The method of claim 108, wherein the first items are promotional products.

121. (withdrawn) A method of providing a pricing information for an item to a user at an electronic site comprising:

receiving an item information from a user, wherein the item information includes an item identifier and a first attribute selected from a group consisting of a

color information, a printing information, a composition information, and a set-up information; and

sending the price information to the user via the electronic site, wherein the price information corresponds to the item information,

122. (withdrawn) The method of claim 121, wherein:

the item information further comprises a second attribute selected from a group consisting of the color information, the printing information, the composition information, and the set-up information; and

the second attribute is different from the first attribute.

123. (withdrawn) The method of claim 122, wherein:

the item information further comprises a third attribute selected from a group consisting of the color information, the printing information, the composition information, and the set-up information; and

the third attribute is different from the first attribute and the second attribute.

124. (withdrawn) The method of claim 121, wherein the item information includes a quantity information.

125. (withdrawn) The method of claim 121, wherein:

the first attribute includes color information; and

the color information includes the number of colors to be printed on the item.

126. (withdrawn) The method of claim 121, wherein sending is performed no more than approximately one minute after receiving.

127. (withdrawn) The method of claim 121, wherein sending is performed no more than approximately nine seconds after receiving.

128. (withdrawn) The method of claim 121, wherein receiving and sending are performed while the user remains at the electronic site.

129. (withdrawn) The method of claim 121, wherein the item is a promotional product.

130. (withdrawn) A method of providing information via an electronic site comprising:

receiving a first instruction from a user at an electronic site, wherein the first instruction is to display a view to the user; and

sending to the user a first information corresponding to the view, wherein the view displays icons including a marking on a first promotional item, wherein the marking is related to a first entity that is associated with the user.

131. (withdrawn) The method of claim 130, wherein the view includes a second promotional item that also has the marking, wherein the second promotional item is different from the first promotional item.

132. (withdrawn) The method of claim 130, wherein the marking is selected from a logo, a trademark, and a service mark of the first entity, and the acts of receiving and sending are performed by a second entity that is different from the first entity.

133. (withdrawn) The method of claim 130, wherein:

the first entity is a customer of a second entity;

the second entity performs the acts of receiving the first instruction, sending to the user the first information, and receiving the order; and

the first information includes a pricing information that the second entity makes available only to the first entity for the first promotional item.

134. (withdrawn) The method of claim 130, wherein the user is an agent of the first entity.

135. (withdrawn) The method of claim 130, wherein the user is a customer of the first entity or an agent of a customer of the first entity.

136. (withdrawn) The method of claim 130, further comprising receiving from the user an identifier and password before sending to the user the first information.

137. (withdrawn) The method of claim 130, wherein the user is the first entity.

138. (withdrawn) The method of claim 130, wherein the marking is selected from a group consisting of a person's name, a crest, a monogram.

139. (withdrawn) The method of claim 130, wherein the marking includes a picture or an illustration that includes or is created by a second entity.

140. (withdrawn) The method of claim 130, further comprising receiving an order for the first promotional item while the user is at the electronic site.

141. (withdrawn) A method of providing a digital representation of a promotional item, wherein the method is performed by a first entity and comprises:

receiving an order for the digital representation from a user, wherein the order includes:

an information regarding the promotional item; and

an electronic file that includes a marking for a second entity associated with the user;

combining an electronic representation of the promotional item with information regarding the marking within the electronic file to create the digital representation of the promotional item with the marking; and

sending the digital representation to the user.

142. (withdrawn) The method of claim 141, wherein the digital representation is a two-dimensional view showing how the marking should appear on the promotional item.

143. (withdrawn) The method of claim 141, wherein the digital representation is a two-dimensional view showing how the marking should appear on the promotional item.

144. (withdrawn) The method of claim 141, wherein the marking is selected from a group consisting of a logo, a trademark, and a service mark of the second entity.

145. (withdrawn) The method of claim 141, wherein the digital representation is sent by an electronic communicating medium.

146. (withdrawn) The method of claim 145, wherein the electronic communication medium is selected from a group consisting of an internet and an electronic mail system.

147. (withdrawn) A method of obtaining information by a user at an electronic site comprising:

receiving a first information from a first entity, wherein the first information is displayed as a first set of icons;

sending a first signal to the first entity, wherein the first signal is initiated by the user activating a first icon within the first set of icons; and

receiving a second information from the first entity, wherein the second information is displayed as a second set of icons.

148. (withdrawn) The method of claim 147, wherein no more than five words of text are displayed with each icon within the first set of icons.

149. (withdrawn) The method of claim 148, wherein no more than five words of text are displayed with each icon within the second set of icons.

150. (withdrawn) The method of claim 147, wherein no more than five words of text are displayed with each icon within the second set of icons.

151. (withdrawn) The method of claim 147, wherein the first set of icons includes at least eight icons.

152. (withdrawn) The method of claim 147, wherein the second set of icons includes at least three icons.

153. (withdrawn) The method of claim 147, wherein the icons correspond to promotional items.

154. (withdrawn) The method of claim 147, further comprising:

 sending a second signal to the first entity, wherein the second signal is initiated by the user activating a second icon within the second set of icons; and

 receiving a third information from the first entity, wherein:

 the third information corresponds to the second icon;

 the third information is displayed to the user; and

the third information includes an enlarged view of an item and additional details related to the item.

155. (withdrawn) A method of receiving information via an electronic site comprising:

sending a first information to a first entity, wherein the first information includes a first attribute selected from a group consisting of a first price range, a category, a quantity, a supplier, a color, an imprint type, a composition, a weight, a size, and a time sensitivity information; and

receiving from the first entity a second information regarding first items that correspond to the first attribute.

156. (withdrawn) The method of claim 155, wherein the second item is one of the first items.

157. (withdrawn) The method of claim 155, wherein:

the first information includes a second attribute selected from a group consisting of the first price range, the category, the quantity, the supplier, the color, the imprint type, the composition, the weight, the size, and the time sensitivity;

the second attribute is different from the first attribute; and

the second information regards the first items that correspond to the first attribute and the second attribute.

158. (withdrawn) The method of claim 155, wherein the first items are displayed as icons.

159. (withdrawn) The method of claim 158, wherein no more than five words of text are associated with each icon.

160. (withdrawn) The method of claim 155, wherein the first items are promotional products.

161. (withdrawn) A method of obtaining a pricing information for an item by a user at an electronic site comprising:

 sending an item information to a first entity, wherein the item information includes item identifier and a first attribute selected from a group consisting of a color information, a printing information, a composition information, and a set-up information; and

 receiving the price information from the first entity via the electronic site, wherein the price information corresponds to the item information.

162. (withdrawn) The method of claim 161, wherein:

 the item information further comprises a second attribute selected from a group consisting of the color information, the printing information, the composition information, and the set-up information; and

 the second attribute is different from the first attribute.

163. (withdrawn) The method of claim 161, wherein the item information includes a quantity information.

164. (withdrawn) The method of claim 161, wherein receiving occurs no more than approximately one minute after sending.

165. (withdrawn) The method of claim 161, wherein receiving occurs no more than approximately nine seconds after sending.

166. (withdrawn) The method of claim 161, wherein sending and receiving are performed while the user remains at the electronic site.

167. (withdrawn) The method of claim 161, wherein the item is a promotional product.

168. (withdrawn) A method of obtaining information via an electronic site comprising:

sending a first instruction to a first entity at an electronic site, wherein the first instruction is to display a view; and

receiving from the first entity a first information corresponding to the view, wherein the view displays icons including a marking on a first promotional item, wherein the marking is related to a second entity that is associated with the user.

169. (withdrawn) The method of claim 168, wherein the view includes a second promotional item that also has the marking, wherein the second promotional item is different from the first promotional item.

170. (withdrawn) The method of claim 168, wherein the marking is selected from a logo, a trademark, and a service mark of the second entity.

171. (withdrawn) The method of claim 168, wherein the user is the first entity.

172. (withdrawn) The method of claim 168, wherein the marking is selected from a group consisting of a person's name, a crest, a monogram.

173. (withdrawn) The method of claim 168, wherein the marking includes a picture or an illustration that includes or is created by a second entity.

174. (withdrawn) The method of claim 168, further comprising receiving an order for the first promotional item while the user is at the electronic site.

175. (withdrawn) A method of providing a digital representation of a promotional item comprising:

 sending an order for the digital representation to a first entity, wherein the order includes:

 an information regarding the promotional item; and

 an electronic file that includes a marking for a second entity associated with the user; and

receiving the digital representation of the item with the marking from the first entity.

176. (withdrawn) The method of claim 175, wherein the digital representation is a two-dimensional view showing how the marking should appear on the promotional item.

177. (withdrawn) The method of claim 175, wherein the digital representation is a two-dimensional view showing how the marking should appear on the promotional item.

178. (withdrawn) The method of claim 175, wherein the marking is selected from a group consisting of a logo, a trademark, and a service mark of the second entity.

179. (withdrawn) The method of claim 175, wherein the acts of the method are performed by a user, who is an employee of the second entity.

180. (withdrawn) The method of claim 175, wherein the digital representation is received by an electronic communicating medium.

181. (withdrawn) The method of claim 180, wherein the electronic communication medium is selected from a group consisting of an internet and an electronic mail system.

182. (previously presented) The method of preparing a server to support a client system to construct a composite image, the component parts of said composite image comprising a first image of a marking and a second image of an item , said method comprising the steps of:

a) constructing at the server first and second libraries;

b) inputting to the server data representative of sets of said first and second images;

c) generating from said data representative of said second images said set of said second images, and loading said set of said second images into said second library; and

d) generating from said data representative of said first images said set of said first images and loading said set of first images into said first library.

183. (previously presented) The method of preparing a server as claimed in claim 182, wherein said marking takes the form of a logo.

184. (previously presented) The method of preparing a server as claimed in claim 182, wherein said marking takes the form of a logo and said item takes the form of a promotional product.

185. (previously presented) The method of preparing a server as claimed in 182, wherein there is included a plurality of said formatted first images and a plurality of formatted second images, and there is included a step of storing said plurality of said formatted first images in the first library, and storing said plurality of said formatted second images in the second library.

186. (previously presented) The method of preparing a server as claimed in claim 182, wherein there is included a step of disposing at least one location on said first image to facilitate the superimposing said second image on said first image in a desired relationship to said first image.

187. (previously presented) The method of preparing a server as claimed in claim 186, wherein there is included a further step or representing said second image as a logo and

said first image as a product, whereby said one location may be used to position said logo on said product.

188. (previously presented) The method of preparing a server as claimed in claim 182, wherein there is further included the step of normalizing the dimensions of each of said plurality of said second images, and storing said plurality of said normalized images in said second library.

189. (previously presented) The method of preparing a server as claimed in claim 188, said step of normalizing normalizes the dimensions of each of said plurality of said second images, and there is further included the step of storing said plurality of said normalized images in said second library.

190. (previously presented) The method of preparing a server as claimed in claim 182, wherein there is further included a step of creating and storing in memory a set of first parameters that defines a certain characteristic of said set of said first images.

191. (previously presented) The method of preparing a server as claimed in claim 190, wherein there is further included a step of creating and storing in memory a set of second parameters that defines a certain characteristic of said set of said second images.

192. (previously presented) The method of preparing a server as claimed in claim 191, wherein said set of said second parameters define color.

193. (previously presented) The method of preparing a server as claimed in claim 192, wherein said set of second parameters define color.

194. (previously presented) The method of preparing a server as claimed in claim 191, wherein said second parameter defines the relating size of said second image as compared to the size of said first image.

195. (previously presented) The method of preparing a server as claimed in claim 190, wherein there is further included a step of preparing a webpage bearing a set of keys designed to be clicked on by a user at the client system to select one of said set of first parameters to define a corresponding characteristic of said first image.

196. (previously presented) The method of operating a client system and a server to construct a composite image, the components of the composite image comprising first and second images, first and second libraries being provided at the server to store respectively sets of the first and second images, said method comprising the steps of:

a) facilitating a user at the client system to select from the first library a selected one of said set of first images;

b) facilitating the user at the client system to select from the second library a selected one of said set of second images;

c) accessing at the server from the first and second libraries said selected ones of said first and second images;

d) superimposing at the server said selected one second image on said selected one first image to provide said composite image; and

e) transmitting via a communication path from the server to the client system said composite image.

197. (previously presented) the method of operating a client system as claimed in claim 196, wherein said selected one first image comprises a promotional product, and said selected one second image comprises a logo, and there is further included a step of displaying at the client system said composite image as a logo superimposed on a promotional product.

198. (previously presented) The method of operating a client system as claimed in claim 196, wherein there is further included a step of creating a parameter that defines a certain characteristic of at least one of said first and second images.

199. (previously presented) The method of operating a client system as claimed in claim 198, wherein said creating step creates a set of parameters that define certain characteristics of said one image, and there is further included the steps of creating a webpage that presents a set of keys corresponding to said set of parameters, and transmitting said webpage to the client server, whereby the user may click on a desired one of said set of keys to select a corresponding one of said set of parameters.

200. (previously presented) The method of operating a client system as claimed in claim 198, wherein said parameter relates to the color of said first image.

201. (previously presented) The method of operating a client system as claimed in claim 198, wherein said first mentioned parameter defines the certain characteristic of said first images, and there is further included the step of creating a second parameter that defines a certain characteristic of said second images.

202. (previously presented) The method of operating a client system as claimed in claim 201, where the certain characteristic is color.

203. (previously presented) The method of constructing a composite image, the components of the composite image comprising first and second images, said method comprising the steps of:

a) providing first and second libraries to store respectively said sets of said first and second images;

- b) facilitating a user to select from the first library a selected one of said set of first images;
- c) facilitating the user to select from the second library a selected one of said set of second images;
- d) accessing from the first and second libraries said selected ones of said first and second images;
- e) superimposing said selected one second image on said selected one first image to provide said composite image; and
- f) transmitting via a network to the user said composite image.

204. (previously presented) The method of constructing a composite image as claimed in claim 203, wherein said selected one first image comprises a promotional product, and said selected one second image comprises a logo, and there is further included a step of displaying at the client system said composite image as a logo superimposed on a promotional product.

205. (previously presented) The method of constructing a composite image as claimed in claim 203, wherein there is further included a step of creating a parameter that defines a certain characteristic of at least one of said first and second images.

206. (previously presented) The method of constructing a composite image as claimed in claim 205, wherein said creating step creates a set of parameters that define certain characteristics of said one image, and there is further included the steps of creating a webpage that presents a set of keys corresponding to said set of parameters, and transmitting said webpage to the user to facilitate the user to actuate a desired one of said set of keys to select a corresponding one of said set of parameters.

207. (previously presented) The method of constructing a composite image as claimed in claim 205, wherein said parameter relates to the color of said first image.

208. (previously presented) The method of constructing a composite image as claimed in claim 205, wherein said first mentioned parameter defines the certain characteristic of said first images, and there is further included the step of creating a second parameter that defines a certain characteristic of said second images.

209. (previously presented) The method of constructing a composite image as claimed in claim 208, where the certain characteristic is color.

210. (previously presented) The method of operating a client system and a server to construct a composite image, the components of the composite image comprising first and second images, the server comprising first and second libraries for storing respectively sets of the first and second images, said method comprising the steps of:

- a) establishing a communication session over a communication path between the server and the client system;
- b) facilitating a user at the client system during the course of said communication session to select from the first library a selected one of said set of first images;
- c) facilitating the user at the client system during the course of said communication session to select from the second library a selected one of said set of second images;
- d) accessing at the server from the first and second libraries said selected ones of said first and second images;

e) superimposing at the server said selected one second image on said selected one first image to provide said composite image; and

f) transmitting from the server to the client system said composite image.

211. (previously presented) The method of operating a client system as claimed in claim 210, wherein said selected one first image comprises a promotional product, and said selected one second image comprises a logo, and there is further included a step of displaying at the client system said composite image as a logo superimposed on a promotional product.

212. (previously presented) The method of operating a client system as claimed in claim 210, wherein there is further included a step of creating a parameter that defines a certain characteristic of at least one of said first and second images.

213. (previously presented) The method of operating a client system as claimed in claim 212, wherein said creating step creates a set of parameters that define certain characteristics of said one image, and there is further included the steps of creating a webpage that presents a set of keys corresponding to said set of parameters, and transmitting said webpage to the client server, whereby the user may click on a desired one of said set of keys to select a corresponding one of said set of parameters.

214. (previously presented) The method of operating a client system as claimed in claim 212, wherein said parameter relates to the color of said first image.

215. (previously presented) The method of operating a client system as claimed in claim 212, wherein said first mentioned parameter defines the certain characteristic of said first images, and there is further included the step of creating a second parameter that defines a certain characteristic of said second images.

216. (previously presented) The method of operating a client system as claimed in claim 215, where the certain characteristic is color.

217. (previously presented) The method of preparing a server to support a user to construct a composite image, the component parts of said composite image comprising first and second images, said method comprising the steps of:

- a) constructing a server to comprise first and second libraries;
- b) inputting to the server data representative of sets of said first and second images;
- c) generating from said data representative of said second images said set of said second images, and loading said set of said second images into said second library; and
- d) generating from said data representative of said first images said set of said first images and loading said set of first images into said first library.

218. (previously presented) The method of preparing a server as claimed in claim 217, wherein each of said set of first images represents a promotional product, each of said set of second images represents a logo, and said composite image comprises said logo superimposed on said promotional product.

219. (previously presented) The method of preparing a server as claimed in claim 217, wherein there is further included a step of creating and storing in memory a set of first parameters, where each of said of set of first parameters defines a first certain characteristic of a corresponding one said set of said first images.

220. (previously presented) The method of preparing a server as claimed in claim 219, wherein there is further included a step of creating and storing in memory a set of

second parameters, where each of said set of second parameters defines a second characteristic of a corresponding one of said set of said second images, wherein said first characteristic differs from said first characteristic.

221. (previously presented) The method of preparing a server as claimed in claim 220, wherein each of said first parameters defines a particular color of a corresponding first image.

222. (previously presented) The method of preparing a server as claimed in claim 221, wherein each of said second parameters defines a particular color of a corresponding second image.

223. (previously presented) The method of preparing a server as claimed in claim 220, wherein said first parameter defines the relative size of said first image as compared to the size of said second image upon which said first image is superimposed.

224. (previously presented) The method of preparing a server as claimed in claim 219, wherein there is further included a step of preparing a first webpage bearing indicia designed to be clicked on by a user to select one of said set of said first parameters to define the first characteristic of the first image.

225. (previously presented) The method of preparing a server as claimed in claim 220, wherein there is further included the step of preparing a second webpage bearing indicia designed to be actuated by a user to select one of said set of said second parameters to define the second characteristic of the second image.

226. (previously presented) The method of preparing a server as claimed in claim 217, wherein said set of first images are embedded into a first webpage to be downloaded and displayed to the user.

227. (previously presented) The method of preparing a server as claimed in claim 225, wherein said set of second images are embedded into a second webpage to be downloaded and displayed to the user.

228. (previously presented) The method of preparing a server as claimed in claim 216, wherein there is further included the steps of effecting the display the first webpage, whereby the use is facilitated to select one of the set of first images, and receiving a signal from the user indicative of the first image selected by the user.

229. (previously presented) The method of preparing a server as claimed in claim 226, wherein there is further included the step of preparing a third webpage bearing indicia designed to be actuated by the user to select one of said set of said first images and to embed said selected first image into said third webpage to be transmitted to and displayed by the supported client system.

230. (previously presented) The method of preparing a server as claimed in claim 229, wherein there is further included the steps of creating and storing in memory a set of second parameters that defines a certain characteristic of said corresponding first images and of preparing said third webpage to bear further indicia to be actuated by the user of the supported client system to select one of said set of first parameters to define that characteristic of the selected first image.

231. (previously presented) The method of preparing a server as claimed in claim 228, wherein there is further included the steps of to effect the display of the second webpage, whereby the use user is facilitated to selected one of the set of second images, and receiving a signal from the user indicative of the second image selected by the user.

232. (previously presented) The method of preparing a sever as claimed in claim 231, wherein said first selected image is superimposed on said second selected image.

233. (previously presented) The method of preparing a server as claimed in claim 232. wherein said superimposed image is embedded on a third webpage.

234. (previously presented) The method of preparing a server as claimed in claim 232, wherein said first image comprises a logo or the like, and said second image comprises a promotional product or the like.

235. (previously presented) The method of preparing a server as claimed in claim 233, wherein there is further included the step of displaying the third webpage to the user whereby the user is permitted to view said composite image before approving or not the composite image, and receiving from the user communication of whether or not the user has approved the said composite image.

236. (previously presented) The method of preparing a server to support a client system to construct a composite image, the component parts of said composite image comprising first and second images, said method comprising the steps of:

- a) accessing said first and second images;
- b) said second image having at least one location affixed thereto;
- c) superimposing said first image onto said second image; and
- d) adjusting the relative position of said first image with respect to said second image so that said first image over lies said location of said second image.

237. (previously presented) The method of preparing a server as claimed in claim 236, wherein there is further included the steps of embedding said composite image is

embedded onto a webpage; and display said webpage whereby the user may preview the composite image.

238. (previously presented) The method of preparing a server as claimed in claim 236, wherein said server facilitates the user to adjust the relative position of said first image to said second so that said first image overlays said location.

239. (previously presented) The method of preparing a server as claimed in claim 238, wherein said first image is a logo or the like, and said second image is a promotional product or the like.

240. (previously presented) The method of preparing a server to support a user to construct a composite image, the component parts of said composite image comprising first and second images, said method comprising the steps of;

- a) accessing a first set of said first images, and a second set of second images;
- b) constructing at least a first and a second webface comprising respectively a first set of index indices, and a second set of index indices;
- c) displaying said first and second webfaces to facilitate respectively the user to actuate at least one of said first set of index indices and at least one of said second set of index indices, whereby the user selects at least one of said first images of said first set corresponding to the actuated one index indicia of said first set and the user selects at least one of said second images of said second set corresponding to the actuated one index indicia of said second set; and

d) embed in said first webpage the selected one or more of said first images of said first set, and embed in said second webpage the selected one or more of said second image of said second set

241. (previously presented) The method of preparing a server as claimed in claim 240, wherein said first image comprises a logo or the like, and the second image comprises a promotional product or the like.

242. (previously presented) The method of preparing a server as claimed in claim 241, wherein said index indicia of said first set identifies each logo alphabetically by the first letter of the name of its logo.

243. (previously presented) The method of preparing a server as claimed in claim 242, wherein each of said index indices of said second set identifies each of said promotional products by category.

244. (previously presented) The method of preparing a server as claimed in claim 243, wherein category comprises the group of apparel, writing instruments, athletic equipment, luggage, and the like.

245. (previously presented) The method of preparing a server as claimed in claim 240, wherein there is further included the step of formatting the data of said first images as a first array of pixel elements.

246. (previously presented) The method of preparing a server as claimed in claim 240, wherein there is further included a step of configuring said images as a logo.

247. (previously presented) The method of preparing a server as claimed in claim 240, wherein there is further included a step of configuring said second image as a product, and a step of configuring said first image as a logo.

Claim 248 (canceled)

249. (previously presented) The method of preparing a server as claimed in claim 245, wherein there is further included the step of configuring said second set of second images with positioned data, and responding to the positional data of said second image to represent said second image as a second array of pixels.

250. (previously presented) The method of preparing a server as claimed in claim 249, where there is further included a step of merging said first and second arrays of pixels, whereby said second image is superimposed on said first image.

Claim 251 (canceled)

252. (previously presented) The method of preparing a server as claimed in claim 240, where there is included a step of setting said first set of images to a default color.

253. (previously presented) The method of preparing a server as claimed in claim 252, wherein there is further included a step of setting said set of said second images to a default color.

254. (previously presented) The method of preparing a server as claimed in claim 253, there is further included the step of providing first and second parameters for setting said sets of default colors of said first and second images respectively.

255. (currently amended) The method of preparing a server as claimed in claim 240, wherein there is included a step of disposing at least one placement hook on each of said first images of said first set to facilitate the superimposing of each of said second images of

said images of said second set on a corresponding first image of said first set in a desired relationship to said first image.

256. (previously presented) The method of preparing a server as claimed in claim 255, wherein there is included a further step of representing each of said second images of said first set as a logo and each of said first images of said set as a product, whereby said one placement hook may be used to position said logos with respect to each of said products.

257. (previously presented) The method of preparing a server as claimed in claim 240, wherein there is further included the step of normalizing the dimensions of each of said second images.

258. (previously presented) The method of preparing a server as claimed in claim 257, wherein said step of normalizing normalizes the dimensions of each of said plurality of said second images, and storing said plurality of said normalized second images in said second library.

259. (previously presented) A server adapted to support a client system to generate a composite image, the component parts of said composite image comprising first and second images, said server comprising:

a) a programmed processor for receiving and responsive to data representative of a set of said second images to generate a corresponding set of second images;

b) a second library for storing said set of second images;

c) a first library for storing a set of said first images; and

d) said programmed processor facilitating a communication session with the supported client system to permit the user of the client system to select one of said set of said first images and one of said set of said second images, said programmed processor responsive to the user selection of one of said set of said second images to access from the second library said selected second image and to the user selection of one of said set of said first images to access from the first library said selected first image.

260. (previously presented) The server adapted to support a client system as claimed in claim 259, wherein there is further comprised a memory for storing at least one webpage bearing indicia designed to be actuated by a user of the supported client system to select a corresponding one of said set of said second images, said programmed processor responsive to the actuation of one of said indicia to select the corresponding one of said set of said second images for embedding said selected second image into said webpage to be transmitted to and to be displayed by the supported client system.

261. (previously presented) The server adapted to support a client system as claimed in claim 260, wherein said memory stores a set of parameters, each of which defines a certain characteristic of said corresponding second image, and a second webpage bearing indicia designed to be actuated by the user of the supported client system to select one of said set of said parameters to define that characteristic of said selected second image, and said programmed processor is programmed to respond to the actuation of an indicia of said second webpage corresponding to a selected one of said set of said parameters to set that characteristic of said second image.

262. (previously presented) A method of preparing a server to support a user system to provide a composite image, the component parts of said composite image comprising at least a first image of the logo and at least a second image of a promotional product, said method comprising the steps of:

- a) providing at the server first and second memories;
- b) inputting to the server data representative of a plurality of said first images and a plurality of said second images;
- c) generating from said data representative of said second images said plurality of second images and loading said plurality of second images into said second memory; and
- d) generating from said data representative of said first images said plurality of first images and loading said plurality of first images into said first memory.

263. (previously presented) The method of preparing a server as claimed in claim 262, wherein said providing step provides each of said first and said second memories respectively as first and second libraries.

264. (previously presented) The method of preparing a server as claimed in claim 262, where there is included a step of setting said first image to a default color.

265. (previously presented) The method of preparing a server as claimed in claim 264, wherein there is further included a step of setting said second image to a default color.

266. (previously presented) The method of preparing a server as claimed in claim 265, there is further included the step of providing first and second parameters for setting said default colors of said first and second images respectively.

267. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is included a step of disposing at least one placement hook on each of said pluralities of said first images to facilitate the superimposing each second image on said first image in a desired relationship to said first image.

268. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is further included the step of normalizing the dimensions of each of said plurality of said second images.

269. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is further included the step of facilitating the use to at least one of said plurality of said first images and at least one of said second images, and assembling said selected of logos on said promotional products to form corresponding composite images.

270. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is further included a step of creating and storing in a first parameter memory a first parameter that defines a certain attribute of said plurality of said first images.

271. (previously presented) The method of preparing a server as claimed in claim 270, wherein there is further included a step of creating and storing in a second parameter memory a second parameter that defines a certain characteristic of said plurality of said second images.

272. (previously presented) The method of preparing a server as claimed in claim 271, wherein said second parameter defines color.

273. (previously presented) The method of preparing a server as claimed in claim 271, wherein said second parameter defines the size of said second image.

274. (previously presented) The method of preparing a server as claimed in claim 271, wherein said second parameter defines the relative size of said second image with respect to said first image.

275. (previously presented) The method of preparing a server as claimed in claim 270, wherein there is further included a step of preparing a webpage bearing a set of keys adapted to be clicked on by the user at the supported user system to select the first parameter to define the certain attribute of said first image.

276. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is further included the step of preparing a first webpage bearing indicia designed to be actuated by the user at the supported user system to select one of said set of said second images and to embed the selected second image into a second webpage to be downloaded to and displayed by the supported user system.

277. (previously presented) The method of preparing a server as claimed in claim 276, wherein there is further included the steps of creating and storing in a memory a plurality of parameters that define certain corresponding characteristics of said second image and of preparing a third webpage bearing indicia designed to be actuated by the user of the supported user system to select one of said set of said second parameters to define that corresponding characteristic of said selected second image.

278. (previously presented) The method of preparing a server as claimed in claim 277, wherein one of said plurality of said parameters define the particular color of said second image.

279. (previously presented) The method of preparing a server as claimed in claim 271, wherein there is further included a step of preparing a first webpage bearing indicia

designed to be actuated by the user at the supported user system to select one of said plurality of said first images and to embed said selected first image into a second webpage to be transmitted to and displayed by the supported user system.

280. (previously presented) The method of preparing a server as claimed in claim 279, wherein there is further included the steps of creating and storing in a third parameter memory a plurality of third parameters that define a corresponding certain characteristic of said plurality of said first images and of preparing a third webpage to transport further indicia to be actuated by the user at the supported user system to select one of said plurality of third parameters to define that characteristic of the selected first image.

281. (previously presented) The method of preparing a server as claimed in claim 262, wherein there is further included the step of assembling the first and second images to form the composite image.

282. (previously presented) A server adapted to support a user system to preview for the user a composite image of a proposed promotional product, the component parts of said composite image comprising product and logo images, said server comprising a processor programmed to:

- a) generate a plurality of product images and a plurality of logo images; and
- b) establish a communication session over a network between said server and said supported user system to permit the user of said supported system to select at least one of said plurality of said product images and at least one of said plurality of said logo images, said programmed processor responsive to the user selection of one of said plurality of said logo images to assemble the said selected one logo image and said selected one product image.

283. (previously presented) The adapted server as claimed in claim 282, wherein said programmed processor is programmed to transmit at least one webpage bearing indicia designed to be actuated by the user of the supported user system to select the corresponding one of said plurality of said log images, and to respond to the actuation of said one indicia to access said corresponding one logo image to be included in the composite image of the proposed promotional product.

284. (previously presented) The adapted server as claimed in claim 283, wherein there is further included a memory that stores a plurality of parameters, each of which defines a certain characteristic of the corresponding logo image, and said programmed processor programmed to construct a second webpage bearing indicia designed to be actuated by the user at the supported user system to select at least one of said plurality of said parameters to define the corresponding characteristic of said selected logo image, and to respond to the actuation of a selected indicia of said second webpage corresponding to the selected one parameter to set that characteristic of said logo image.

285. (previously presented) A method of operating a server to support a user system to provide a composite image of a proposed promotional product, said composite image comprising at least a product image and a logo image, said method comprising the steps of:

- a) providing at least said one product image and said one logo image;
- b) assembling said product image and said logo image to form said composite image of said proposed promotional product; and

c) transmitting a webpage bearing said composite image via a network from the server to the user system to permit the user to preview said composite image constructed of said images of said proposed product and said proposed logo.

286. (previously presented) A method of operating a server to support a user system to construct a composite image, said composite image comprising at least one product image and at least one logo image, said method comprising the steps of:

a) transmitting via a network a plurality of logo images from the server to the user system for display to the user;

b) receiving via the network at the server the user's selection of at least one of said logo images; and

c) responsive to the user's selection to assemble said selected logo image and said product image to form said composite image.

287. (previously presented) The method of operating a server as claimed in claim 286, wherein there is further included the step of receiving a signal from the user system indicative of whether or not the user approves of said composite image.

288. (previously presented) The method of operating a server as claimed in claim 286, wherein the server includes a memory and there is further included the step of receiving and storing a plurality of said logo images in the memory.

289. (previously presented) The method of operating a server as claimed in claim 288, wherein the server includes a second memory and there is further included a step of receiving and storing a plurality of product images in the second memory.

290. (previously presented) A method for generating a composite image including:

a) presenting at least one logo image via a Web interface on a browser;

- b) presenting at least one product image via a Web interface on the browser;
- c) communicating a selection of said one logo image and said one product image to a server via a network;
- d) automatically generating a composite image of said one logo image and said one product image at the server; and
- e) communicating said composite image from the server to the browser via the network.

291. (previously presented) The method for generating a composite image as claimed in claim 290, wherein said product image includes a textual image.

292. (previously presented) The method for generating a composite image as claimed in claim 290, wherein said composite image includes said logo image placed in a default position on said product image.

293. (previously presented) The method for generating a composite image as claimed in claim 290 further including the steps of:

- a) positioning said logo image relative to said product image via a Web interface presented on the browser to generate relative positioning information;
- b) communicating the relative positioning information to the server via the network; and
- c) automatically generating the composite image of said logo image and said product image at the server according to the relative positioning information.

294. (previously presented) A network-based method for generating a composite image, the method including:

- a) receiving a logo image and a product image at a server from a browser responsive to a user-selection of said logo image and said product image;
- b) automatically generating a composite image of said logo image and said product image at the server, and
- c) communicating said composite image from the server to the browser via a network.

295. (previously presented) The network-based method of claim 294, wherein said product image is a decorative image including any one of a group of images including a logo image and a text image.

296. (previously presented) The network-based method of claim 294, wherein said composite image includes said logo image is placed in a default position on said product image.

297. (previously presented) The network-based method of claim 294, wherein there is further included a step of receiving a relative positioning information from the browser via the network and automatically generating said composite image of said logo image and said product image at the server according to said relative positioning information.

298. (previously presented) The network-based method of claim 294, wherein said composite image is associated with information in a database to generate a photo sample.

299. (previously presented) The network-based method of claim 298, wherein said photo sample is transmitted via the network to a specified e-mail address.

300. (previously presented) A network-based method for generating a composite image, the method including:

- a) presenting on a browser at least one logo image for user selection via a first Web interface;
- b) communicating a user's selection of said logo image and said product image to a server via a network;
- c) receiving a composite image of the first image and the second image from the server at the browser via the network; and
- d) displaying on the browser said composite image via a second Web interface.

301. (previously presented) The network-based method of claim 300, wherein said logo image includes a text image.

302. (previously presented) The network-based method of claim 300, wherein the composite image includes said logo image placed in a default position on said product image.

303. (previously presented) The network-based method of claim 300, further including the step of:

- a) positioning said logo image relative to said product image via a Web interface presented on the browser to generate a relative positioning information;
- b) communicating said relative positioning information to the server via the network;
- c) receiving said composite image of said logo image and said product image from the server to the browser, the composite image generated according to the relative positioning information; and
- d) displaying the composite image to the user at the browser.

304. (previously presented) A network-based method for generating a composite image, said method including the steps of:

- a) presenting on the browser a logo image for user selection via a first Web interface;
- b) presenting on the browser a product image for user selection via a second Web interface;
- c) communicating via a network a selection of said logo image and said product image to a server;
- d) receiving from the server at the browser via the network a composite image of said logo image and said product image; and
- e) displaying on the browser said composite image via a third Web interface.

305. (previously presented) The network-based method of claim 304, wherein said logo image includes a text image.

306. (previously presented) The network-based method of claim 304, wherein said composite image includes said logo image placed in a default position on said product image.

307. (previously presented) The network-based method of claim 304, further including the steps of:

- a) positioning said logo image relative to said product image on the browser to generate a relative positioning information;
- b) communicating said relative positioning information to the server via the network;
- c) communicating said composite image of said logo image and said product image from the server to the browser, said composite image generated according to said relative positioning information; and
- d) displaying said composite image at the browser.

308. (previously presented) Apparatus for generating a composite image including:

- a) a logo image database for storing at least one logo image;
- b) a second image database for storing at least one product image; and
- c) a server to receive a user selection via a network of at least one logo image and at least one product image and to generate said composite image of said one logo image and said one product image wherein said one logo image is positioned relative to said one product image.

309. (previously presented) The apparatus of claim 308, wherein said logo includes a text image.

310. (previously presented) The apparatus of claim 308, wherein said server is further configured to generate a photo sample of said one logo image.

311. (previously presented) The apparatus of claim 308, wherein said server is further configured to transmit the photo sample via said network to a specified e-mail address.

312. (previously presented) An apparatus for generating a composite image including:

- a) means for presenting via a Web interface on a browser a logo image;
- b) means for presenting via a Web interface on the browser a product image;
- c) means for communicating via a network a user selection of the logo image and the product image to a server;
- d) means for automatically generating at said server a composite image of the logo image and the product image; and

e) means for communicating via said network the composite image from said server to said browser.

313. (previously presented) The apparatus of claim 312, wherein the logo image includes a text image.

314. (previously presented) The apparatus of claim 313, wherein said means for automatically generating a composite image are further configured to generate a photo sample of the logo image.

315. (previously presented) The apparatus of claim 312, wherein said means for automatically generating a composite image are further configured to transmit the photo sample via said network to a specified e-mail address.

316. (previously presented) A method of providing information via an electronic site comprising:

a) receiving a first instruction from a user at an electronic site, wherein the first instruction is to display a view to the user; and

b) sending to the electronic site a first information corresponding to said view, wherein said view displays at least one icon including a first logo on a first promotional product, wherein said logo is related to a first entity that is associated with the user.

317. (previously presented) The method of providing information as claimed in claim 316, wherein said view includes a second promotional product, wherein said second promotional product is different from said first promotional product.

318. (previously presented) The method of providing information as claimed in claim 316, further comprising the steps of receiving from the user an identifier and password, before sending to the user said first instruction.

319. (previously presented) The method of providing information as claimed in claim 316, wherein said logo includes a picture or an illustration that includes or is created by a second entity.

320. (previously presented) The method of providing information as claimed in claim 316, further comprising the step of receiving an order for said first promotional product while the user is at the electronic site.

321. (previously presented) A method of providing a digital representation of a promotional product, wherein said method is performed by a first entity and comprises the steps of:

a) receiving via a network an order for the digital representation from a user, wherein said order includes:

i) an information regarding said promotional product; and

ii) an electronic file that includes a logo for a second entity

associated with the user;

b) combining said electronic representation of said promotional product with information regarding said logo within the electronic file to create a composite digital representation of said promotional product with said logo superimposed thereon; and

c) sending via the network said composite digital representation to the user.

322. (previously presented) The method of providing a digital representation of said promotional product as claimed in claim 321, wherein said digital representation comprises a two-dimensional view showing how said logo should appear on said promotional product.

323. (previously presented) The method of providing a digital representation of said promotional product as claimed in claim 321, wherein the user selects at least one logo from a group consisting of a trademark, and a service mark of the second entity.

324. (previously presented) A method of obtaining information by a user at an electronic site, said method comprising the steps of:

a) receiving via a network a first information from a first entity, wherein said first information is displayed as a first set of logos;

b) sending via the network a first signal to the first entity at a server, wherein said first signal is initiated at a browser by the user selecting at least one first logo from said first set of logos; and

c) receiving via the network a second information from the first entity, wherein said second information is displayed as a second set of promotional products.

325. (previously presented) The method of claim 324, further comprising:

a) sending a second signal to the first entity at the server, wherein said second signal is initiated at the browser by the user selecting at least one promotional product from said second set of promotional products; and

b) responding to said first and second signals to generate a composite image comprised of said user selected logo and said user selected promotional product.

326. (previously presented) A method carried out on the internet for facilitating a user to select at least one promotional product from a plurality of promotional products, said method comprising the steps of:

- a) communicating via a network from a server a first information, wherein said first information is displayed to the user as a plurality of promotional product categories on a first website;
- b) facilitating the user to select at least one of said plurality of displayed promotional product categories;
- c) communicating via the network to the server a message indicating said selected one promotional product category; and
- d) communicating from the server a second information, wherein said second information is displayed to the user as a plurality of promotional products, all of a common category as selected by the user.

327. (previously presented) The method for facilitating a user to select at least one promotional product as claimed in claim 326, wherein there is further included a step of communicating a second message indicating at least one of said promotional products of said common category.

328. (previously presented) A method of preparing a server to support a client system and to provide a composite image, the component parts of said composite image comprising at least a first image and at least a second image, said method comprising the steps of:

- a) inputting to the server data representative of said first images and said second images;
- b) thereafter generating a set of first images from said data representative of said first images; and generating a set of second images from said data representative of said second images; and

c) preparing first and second webpages bearing indicia designed to be actuated by a user of the supported client system to select respectively at least one of said set of said first images and one of said second images and to embed said selected first and second images into said first and second webpages to be downloaded over a network to and displayed by the supported client system.

329. (previously presented) The method of preparing a server as claimed in claim 328, wherein there is included the steps of preparing a second webpage, selectively accessing respectively from first and second libraries selected first and second images, superimposing said selected first image on said second image to provide said composite image, and embedding said composite image into said second webpage to be transmitted to and displayed by the supported client system.

330. (previously presented) The method of preparing a server as claimed in claim 328, wherein there is further included the step of preparing a second webpage bearing indicia designed to be actuated by the user of the supported client system to select one of said set of said first images and to embed said selected first image into said second webpage to be transmitted to and displayed by the supported client system.

331. (previously presented) A server adapted to support a client system and to generate a composite image, the component parts of said composite image comprising first and second images, said server comprising:

- a) a programmed processor responsive to data for constructing a set of said first images and a set of second images;
- b) said processor programmed to prepare a first library for storing said set of said first images;

c) said processor programmed to prepare a second library for storing said set of said second images; and

d) said programmed processor facilitating via a communication path a communication session with the supported client system to permit the user of the client system to select at least one of said set of said first images from said prepared first library and one of said set of said second images from said prepared second library, said programmed processor responsive to the user selection of one of said set of said first images to access from said prepared first library that selected first image and to the user selection of one of said set of said second images to access from said prepared second library and to superimpose said selected first image upon said selected first image.

332. (previously presented) The server adapted to support a client system as claimed in claim 331, wherein there is further comprised a memory for storing at least one webpage bearing indicia designed to be actuated by a user of the of the supported client system to select a corresponding one of said set of said second images, said programmed processor responsive to the actuation of one of said indicia to select the corresponding one of said set of said second images for embedding said selected second image into said webpage to be transmitted to and to be displayed by the supported client system.

333. (previously presented) The server adapted to support a client system as claimed in claim 332, wherein said memory stores a set of parameters, each of which defines a certain characteristic of said corresponding second image and a second webpage bearing indicia designed to be actuated by the user of the supported client system to select one of said set of said parameters to define that characteristic of said selected second image, and said programmed processor is programmed to respond to the actuation of an indicia of said

second webpage corresponding to a selected one of said set of said parameters to set that characteristic of said second image.

334. (previously presented) A server connected by a network to a client system and adapted to enable users to view and browse first images and second images, whereby the first image may be superimposed on the second image, said server comprising:

- a) a processor programmed to input the first images and the second images into said server;
- b) said processor further programmed to construct a first library for storing a plurality of the first images and a second library for storing a plurality of second images; and
- c) said processor further programmed to enable each of the users to browse via the network and the client system the plurality of first images stored in the first library and the plurality of second images in the second library.